CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

OUNTRY	Bast German	y .		REPORT		25X1
UBJECT	Sea Police	Developments in 1	Molgast	DATE DISTR.	17 👣	pril 1953
		•	*A	NO. OF PAGES	4	
ATE OF INFO				REQUIREMENT NO.	RD	
LACE ACQUIRE	ED			REFERENCES	• x'	25X
		This is UNE	EVALUATED I	nformation	•	# .
•			IN THIS REPORT F CONTENT IS TEN BY SEE REVERSE)			
						25)
1. Cra	ft Seepolisei			•		
	DORSCH This the end of M journey, ram herself susta	ovember, and is n med and damaged t tining damage.	ow in Strals he quay wall	en over by the Seund. The vessel, at Sassnits, with	on her fire	st r
2	DORSCH This the end of M journey, ram herself susti	evember, and is not and is not and damaged the sining damage.	iow in Strals the quay wall the are now ba	und. The vessel,	on her fire	s t r
a. b.	DORSCH This the end of Rejourney, ram herself sustiff the FURRSTEN The WISMAR trial trip.	ovember, and is not and and damaged thining damage. BERG and PRESELAU should be complete	iow in Strais the quay wall the are now batted in 1952,	und. The vessel, at Sassnits, with sed at Peenemuend	on her fire hout however e. made one	s t
b. c.	DORSCH This the end of Me Journey, ram herself sustant The FURRSTEN The MISMAR trial trip. FRIEDRICH KA	ovember, and is not expected and damaged the straight damage. BERG and PRESELAU should be completed.	iow in Strais the quay wall are now ba ted in 1952, spected that	at Sassnits, with sed at Peenemuend or at least have a	on her fire hout however e. made one	
b. C.	DORSCH This the end of Me Journey, ram herself sustant The FURRSTEN The MISMAR trial trip. FRIEDRICH KA	evember, and is not and damaged thining damage. BERG and PREMELAU should be completed. EL: It is not executively the state of the sta	iow in Strais the quay wall are now ba ted in 1952, spected that	at Sassnits, with sed at Peenemuend or at least have a	on her fire hout however e. made one	25X1
b. c.	DORSCH This the end of Me journey, ram herself susting the FURRSTEN The WISMAR trial trip. FRIEDRICH KA on this vession 7 November	evember, and is not and damaged thining damage. BERG and PREMELAU should be completed. EL: It is not executively the state of the sta	iow in Strais the quay wall are now ba ted in 1952, spected that	at Sassnits, with sed at Peenemuend or at least have a	on her fire hout however e. made one	
b. c.	DORSCH This the end of Majourney, ram herself sustant The FURRSTEN The WISMAR trial trip. FRIEDRICH KAON this vess on 7 Movember 1. KS Box	evember, and is not and damaged thining damage. BERG and PREMELAU should be completed. EL: It is not executively the state of the sta	iow in Strais the quay wall are now ba ted in 1952, spected that	at Sassnits, with sed at Peenemuend or at least have a	on her fire hout however e. made one	

25 YEAR RE-REVIEW

Washington Dhirfbutton Indicated By "X"; Flahi Dhirfbutton By "#".)

	25X1
SECRET/CONTROL - U.S.	OFFICIALS ONLY
- 2 -	
4. R-boats	
	25X1
	a note of the state of
1. ES Boats	
	25X1
	23/1
2. R-Boats	
g. On an unspecified date in February, for altarations. This vessel is desc	*Raum Pinasse** was at Wolgast 25X1 pribed as being an *iron* ship.
The second of th	built of light metal are as follows:
Length between perpendiculars	29 meters
Beam	4.50 meters
Moulded Depth	2.30 meters
Draught	.70 meters
Displacement	60 tons
Radius of Action	500 sea miles
Propellers:	2
Alpha	0.767
Beta	0.979
Delta	0.649
- 11	0.663
Engines	2 x 150 hp (from BUCKAU WOLF)
The main flotilla of the Seepolizei is n is said to be 1,000. Some 20 families o moved from Zinnowitz to Peenemmende.	ow at Peenemuende, where the strength f Seepolizei personnel recently
The Construction Bure under Schlaak is s is that it will move to Bad Doberan.	till at Wolgast. The latest rumor
Plans for a hollow tube mine-clearing de construct 22, are nearly complete.	vice, of which it is intended to
a. Details are as follows:	
Longth	24 meters
Outside diameter	1,980 meters
Weight:	40 tons, to be brought up to 50 tens with ballast.

SECRET/CONTROL - U.S. OFFICIALS ONLY

1.50 meters diameter

.60 meters thickness of walls

6.20 meters long

Magnetic Core:

2.

3.

	SECIN	ET/CONTROL - U.S. OFFICIALS UNLI	
		- 3 -	25
	On Core 2 layers of copper of	coil, cross-section 20 x 7 wooden protecting	walls.
	High tension:	110 Volts	***
	Currents	36 Amps. Direct current p	ulsating
	•	10 times per second.	
ъ.	The design of this device for during World War II, which is original device weighed about	ollows closely that of one found for a time lay at Stralsund or Parow. This ut 56 tons.	25
g.	The towing cable is to be s	trong enough to withstand a weight of 18 tons	•
d.	Sketch attached at Appendix	7.	
Mis	cellaneous	ا المعالم الم	
The on	following have all recently 10 December at a Works Meeting	been sacked, but this was only made known ng.	
	a. Zenkbeil (fmu)	Head of PERMENER?	
	b. Finger (fmu)	Works Director	
	c. Thurn (fmu)	"Cultur" Director	
	d. Loebe (fmi)	1st SED President	
	e. Lepsin (fmu)	2nd SED President	
Of :	these (a) is said to be in B	Serlin awaiting re-posting.	
			25X
			1

Enclosure: View in Direction A (1 page)


SECRET/CONTROL - U.S. OFFICIALS ONLY


. 4 ...

.

25X1

View in Direction A







SECRET/CONTROL - U.S. OFFICIALS ONLY